



GRANDCHAMP

STRUCTURE DESIGN


TECHNICAL SHEET
SMALL STRUCTURE






TECHNICAL SHEET

Grandchamp's Small Beam



Width	10'	20'	30'	40'
Total height	12' - 2"	13' - 9"	15' - 4"	17' - 0"
Number of purlins (summer)	3	5	7	7
Rafter total length	4' - 8"	10' - 0"	15' - 2"	20' - 5"



STRUCTURE & SMALL PROFILE

- Dimensions: 1,85" X 4,38"
- Anodized 6005-T5 aluminum extrusion
- Other parts in ASTM A36 zinc plated steel
- Steel cables 1/4 " - 7X19 white vinyl coated
- Square rail for 'Bolt-On' attachment system (pendant lights, decor, etc.)
- Universal bolt 1/2" - 13 Gr. 5



TECHNICAL SHEET

Vinyl

- Coated vinyl 22oz
- NFPA 701 and CAN / ULC-S109 fire retardant
- Opaque to UV rays (Blackout)
- Anti-mold vinyl
- All vinyl parts inserted in the Keder rails (13mm)
- Rollers for wall opening
- Carrying bags of vinyl parts included

TYPES OF WINDOWS

Types of wall, gable end & roof windows



Tinted French windows



Clear French windows




Plain (no window)



Panoramic tinted window



Panoramic clear window



Color, printing and stickers

- Custom color vinyl
 - Vinyl printing
 - Large size sticker printing
-